
AUTODOC CLUB

How to change pollen filter on **Audi A4 B8** – replacement guide

VIDEO TUTORIAL



Important!

This replacement procedure can be used for:
AUDI A5 Coupe (8T3) RS5 quattro, AUDI Q5 (8RB) 2.0 TFSI hybrid quattro, AUDI Q5 (8RB) 2.0 TDI, AUDI A5 Coupe (8T3) 2.0 TDI, AUDI A5 Coupe (8T3) 3.0 TDI, AUDI A5 Coupe (8T3) 3.0 TDI quattro, AUDI A5 Sportback (8TA) 2.0 TDI, AUDI A5 Sportback (8TA) 3.0 TDI, AUDI A5 Sportback (8TA) 3.0 TDI quattro, AUDI A5 Convertible (8F7) 2.0 TDI, AUDI A5 Convertible (8F7) 3.0 TDI, AUDI A5 Convertible (8F7) 3.0 TDI quattro, AUDI A5 Sportback (8TA) 1.8 TFSI, AUDI A5 Convertible (8F7) 1.8 TFSI, AUDI A5 Coupe (8T3) S5 quattro, (+ 73)


The steps may slightly vary depending on the car design.

Replacement: pollen filter – Audi A4 B8. Professionals recommend:

- Replace the cabin filter at least once every six months, in early spring and autumn seasons.
- Follow the terms, recommendations and requirements of the part operation provided by the manufacturer.
- If the air flow into the cabin has sharply reduced, replace the filter before a scheduled maintenance.
- All work should be done with the engine stopped.

REPLACEMENT: POLLEN FILTER – AUDI A4 B8. USE THE FOLLOWING PROCEDURE:

1 Move the passenger seat fully backwards.



2 Unscrew the fasteners of the bottom trim panel.



3 Bend the bottom trim upwards.



4 Remove the cabin filter housing cover.



AUTODOC recommends:

- Replacement: pollen filter – Audi A4 B8. Do not use excessive force when removing the part as this may damage it.

5 Remove the cabin filter.



Replacement: pollen filter – Audi A4 B8. AUTODOC experts recommend:

- Do not attempt to clean and reuse the filter - it will affect the quality of air cleaning inside the car.

6 Install the cabin filter to its mounting seat.



AUTODOC recommends:

- Replacement: pollen filter – Audi A4 B8. Be sure to position the filtering element correctly. Avoid misalignment.
- Follow the air flow direction arrow on the filter.
- Take care to only use quality filters.

7 Reinstall the cabin filter housing cover. Make sure you hear a click indicating that it is locked in place.



AUTODOC recommends:

- Replacement: pollen filter – Audi A4 B8. Do not use excessive force during installation. This may damage the fasteners.

8 Install the glove box bottom cover.



9 Screw in the fasteners of the bottom trim panel.



10 Return the passenger seat to its initial position.



11 Switch on the ignition.



12 Switch on the air conditioning system. This is necessary in order to make sure that the component operates properly.



13 Switch off the ignition.




WELL DONE!

VIEW MORE TUTORIALS

AUTODOC — TOP QUALITY AND AFFORDABLE CAR PARTS ONLINE

AUTODOC MOBILE APP: GREAT DEALS AND CONVENIENT SHOPPING



A GREAT SELECTION OF SPARE PARTS FOR YOUR CAR

BUY SPARE PARTS FOR AUDI

POLLEN FILTER: A WIDE SELECTION

CHOOSE CAR PARTS FOR AUDI A4 B8

POLLEN FILTER FOR AUDI: BUY NOW

POLLEN FILTER FOR AUDI A4 B8: THE BEST DEALS & OFFERS

DISCLAIMER:

The document contains only general recommendations that may be useful for you when you perform repair or replacement work. AUTODOC shall not be liable for any loss, injury, damage of property occurring in the repair or replacement process due to incorrect use or misinterpretation of the provided information.

AUTODOC shall not be liable for any possible mistakes and uncertainties in this guide. The information provided is for information purposes only and cannot replace advice from specialists.

AUTODOC shall not be liable for incorrect or hazardous usage of equipment, tools and car parts. AUTODOC strongly recommends to be careful and observe the safety rules when performing repair or replacement works. Remember: usage of low quality auto parts does not guarantee you the appropriate level of road safety.